

Introducing Hydro Paint™



Introducing **Hydro Paint™**, an advanced auxiliary product specifically developed for use with the Infinity Effects Spray Granite and Stone System. This innovative paint offers exceptional weather resistance, high coverage rate, and waterproof functionality, ensuring optimal performance in various conditions.

When utilized alongside the Infinity Effects Spray Granite and Stone System, **Hydro Paint™** significantly enhances the refractive index of the walls' surface. By doing so, it effectively prevents spot staining on the sub-base, eliminating color discrepancies and delivering a flawless finish.

The inclusion of **Hydro Paint™** in the 4-part system offers numerous advantages over traditional paint.

It is a one pack product that is easy to use and apply. Additionally, it can be diluted by 15% with deionized water for convenient spraying.

This streamlined approach saves time and effort, while also providing flexibility in achieving the desired consistency for optimal coverage and a smooth finish.

Overall, **Hydro Paint™** enhances the painting process with its user-friendly nature and versatile application

Its breathability allows moisture vapor to permeate, reducing the risk of mold formation. This feature also mitigates issues such as peeling and cracking, resulting in improved paint longevity.

Additionally, the breathability of **Hydro Paint™** contributes to better indoor air quality by minimizing the presence of volatile organic compounds (VOCs). This aspect is particularly beneficial for older buildings lacking vapor barriers, as it helps maintain the structural integrity of the walls.

Furthermore, **Hydro Paint™** can be applied to exterior surfaces to prevent moisture damage. Its waterproof functionality acts as a protective barrier, safeguarding the walls against water infiltration and potential deterioration.

The eco-friendly nature of **Hydro Paint™**, characterized by its low VOC content, further enhances its appeal. This quality makes it an ideal choice for environments where moisture control is essential, particularly in humid areas where blistering is a concern.

The applications of **Hydro Paint™** span across residential and commercial buildings, restoration projects, exterior walls, basements, and any other areas that require effective moisture management.

Hydro Paint™, a scientifically advanced paint solution. Benefit from its exceptional weather resistance, breathability, and eco-friendliness.



Advantages of the Spray Granite/Spray Stone 4-part system (Primer, Hydro, Granite/Stone, PU Topcoat):

Single Pack Coatings: Easily stored and reusable, eliminating the need for mixing and reducing the chance of ratio measurement errors.

Noticeably Thicker System: The system's thicker consistency effectively hides defects, fillers, and holes in walls or fences, providing superior coverage compared to thinner systems.

Easy Application: Designed for roll-on application, ensuring convenient and hassle-free use.

Breathable Coating: The Hydro Paint component allows moisture to pass through the surface, preventing trapped moisture beneath the paint layer and promoting breathability when combined with breathable building materials.

Anti-Bacterial Properties: Includes an anti-bacterial component that inhibits bacterial growth, providing added protection against bacterial accumulation.

Versatility: The system can be applied using both roll-on and spray methods, offering flexibility in application techniques.

Reusability: Single Pack Paint can be opened and closed multiple times without the need for mixing with a hardener, and rollers and brushes can be easily cleaned and reused.

Order your **Hydro Paint™** directly from Infinity Effects or through our global distribution agents. Please note that all Infinity Effects products are sold according to our Standard Conditions of Sale. While we aim to provide helpful advice, we can only guarantee results for uses explicitly confirmed in writing by Infinity Effects and the specified representative.

DISCLAIMER: Customers are advised to thoroughly read and adhere to the instructions provided to ensure the optimum finish and performance of our products. The information presented is based on results gained from experience and tests and is believed to be accurate. However, we do not accept liability for any loss or damage attributable to reliance on this information, as conditions of use may lie outside our control. Any deviation by the user from these instructions may affect the performance of the products, and therefore, such actions are not advised. In such circumstances, Infinity Effects will not be held responsible.

Users should always conduct sufficient tests to establish the suitability of any products for their intended applications. While we strive to ensure consistency of color in production, slight variations in shade may occur from batch to batch.

Note: If you are unsure about the compatibility of Infinity Effects Coating with the substrate surface, we strongly recommend conducting a small test in a discreet area before applying it to the entire floor. This precaution will help ensure a successful and satisfactory outcome.



COLOR RANGE:

Welcome to our exclusive Infinity Effects COLOR range, crafted with a primary focus on delivering exceptional protection to both interior and exterior walls, floors, and ceilings, even when subjected to heavy wear and tear. Our carefully formulated color range offer an ideal solution for various surfaces, be it absorbent or non-absorbent, offering reliable defense against the threats of mold and dirt. Rest assured, our high-quality formulas ensure a safe and enjoyable experience for every user.

Delve into the captivating color choices available for each of our Infinity Effects™ products, including ArmourGuard™, ArmourGuard+™, Hydro Paint™, Exteri Pro™, and FreshCoat™. Elevate your surroundings with lasting beauty and unmatched protection provided by our exclusive Color Range.

AVAILABLE PIGMENT RANGE

INFINITY-101 • RGB: 247,237,224	INFINITY-120 • RGB: 229,194,162	INFINITY-139 • RGB: 245,208,192
INFINITY-102 • RGB: 249,234,215	INFINITY-121 • RGB: 253,232,202	INFINITY-140 • RGB: 238,202,192
INFINITY-103 • RGB: 249,234,213	INFINITY-122 • RGB: 243,234,215	INFINITY-141 • RGB: 227,189,174
INFINITY-104 • RGB: 237,218,199	INFINITY-123 • RGB: 242,238,223	INFINITY-142 • RGB: 248,196,176
INFINITY-105 • RGB: 237,216,200	INFINITY-124 • RGB: 248,240,223	INFINITY-143 • RGB: 248,234,230
INFINITY-106 • RGB: 243,227,211	INFINITY-125 • RGB: 241,241,235	INFINITY-144 • RGB: 241,228,224
INFINITY-107 • RGB: 228,215,206	INFINITY-126 • RGB: 234,226,217	INFINITY-145 • RGB: 246,220,220
INFINITY-108 • RGB: 252,226,200	INFINITY-127 • RGB: 239,229,214	INFINITY-146 • RGB: 228,180,180
INFINITY-109 • RGB: 253,226,194	INFINITY-128 • RGB: 235,218,202	INFINITY-147 • RGB: 231,198,188
INFINITY-110 • RGB: 249,218,194	INFINITY-129 • RGB: 231,219,204	INFINITY-148 • RGB: 240,190,189
INFINITY-111 • RGB: 255,228,189	INFINITY-130 • RGB: 221,213,211	INFINITY-149 • RGB: 245,188,169
INFINITY-112 • RGB: 251,215,180	INFINITY-131 • RGB: 230,214,211	INFINITY-150 • RGB: 192,189,189
INFINITY-113 • RGB: 255,227,187	INFINITY-132 • RGB: 230,218,209	INFINITY-151 • RGB: 208,204,202
INFINITY-114 • RGB: 246,216,181	INFINITY-133 • RGB: 202,194,194	INFINITY-152 • RGB: 221,222,223
INFINITY-115 • RGB: 255,235,188	INFINITY-134 • RGB: 203,192,185	INFINITY-153 • RGB: 235,179,187
INFINITY-116 • RGB: 255,226,167	INFINITY-135 • RGB: 206,201,203	INFINITY-154 • RGB: 236,209,221
INFINITY-117 • RGB: 248,223,173	INFINITY-136 • RGB: 216,199,190	INFINITY-155 • RGB: 216,188,213
INFINITY-118 • RGB: 238,236,206	INFINITY-137 • RGB: 211,191,177	INFINITY-156 • RGB: 193,172,213
INFINITY-119 • RGB: 246,238,204	INFINITY-138 • RGB: 245,216,203	INFINITY-157 • RGB: 241,197,167



AVAILABLE PIGMENT RANGE

INFINITY-158 • RGB: 222,185,172	INFINITY-182 • RGB: 202,193,177	INFINITY-206 • RGB: 157,110,102
INFINITY-159 • RGB: 202,183,175	INFINITY-183 • RGB: 148,148,151	INFINITY-207 • RGB: 151,101,100
INFINITY-160 • RGB: 213,183,158	INFINITY-184 • RGB: 123,125,129	INFINITY-208 • RGB: 151,117,143
INFINITY-161 • RGB: 183,162,150	INFINITY-185 • RGB: 252,205,140	INFINITY-209 • RGB: 116,108,154
INFINITY-162 • RGB: 194,182,176	INFINITY-186 • RGB: 231,178,119	INFINITY-210 • RGB: 48,130,177
INFINITY-163 • RGB: 165,154,153	INFINITY-187 • RGB: 226,175,107	INFINITY-211 • RGB: 58,102,126
INFINITY-164 • RGB: 171,173,170	INFINITY-188 • RGB: 245,173,108	INFINITY-212 • RGB: 89,110,128
INFINITY-165 • RGB: 213,201,189	INFINITY-189 • RGB: 160,152,105	
INFINITY-166 • RGB: 205,192,184	INFINITY-190 • RGB: 151,154,124	
INFINITY-167 • RGB: 180,184,190	INFINITY-191 • RGB: 148,140,119	
INFINITY-168 • RGB: 173,172,177	INFINITY-192 • RGB: 239,149,117	
INFINITY-169 • RGB: 172,172,175	INFINITY-193 • RGB: 224,114,81	
INFINITY-170 • RGB: 156,157,160	INFINITY-194 • RGB: 187,124,107	
INFINITY-171 • RGB: 169,187,200	INFINITY-195 • RGB: 172,128,122	
INFINITY-172 • RGB: 207,217,220	INFINITY-196 • RGB: 220,70,60	
INFINITY-173 • RGB: 190,200,203	INFINITY-197 • RGB: 167,81,76	
INFINITY-174 • RGB: 148,197,226	INFINITY-198 • RGB: 181,96,98	
INFINITY-175 • RGB: 190,210,213	INFINITY-199 • RGB: 182,142,116	
INFINITY-176 • RGB: 164,171,176	INFINITY-200 • RGB: 156,129,114	
INFINITY-177 • RGB: 168,185,189	INFINITY-201 • RGB: 133,102,88	
INFINITY-178 • RGB: 227,223,197	INFINITY-202 • RGB: 111,83,76	
INFINITY-179 • RGB: 206,215,198	INFINITY-203 • RGB: 75,76,79	
INFINITY-180 • RGB: 181,212,200	INFINITY-204 • RGB: 139,136,136	
INFINITY-181 • RGB: 152,197,213	INFINITY-205 • RGB: 115,121,125	

DISCLAIMER: Customers are advised to thoroughly read and adhere to the instructions provided to ensure the optimum finish and performance of our products. The information presented is based on results gained from experience and tests and is believed to be accurate. However, we do not accept liability for any loss or damage attributable to reliance on this information, as conditions of use may lie outside our control. Any deviation by the user from these instructions may affect the performance of the products, and therefore, such actions are not advised. In such circumstances, Infinity Effects will not be held responsible.

Users should always conduct sufficient tests to establish the suitability of any products for their intended applications. While we strive to ensure consistency of color in production, slight variations in shade may occur from batch to batch.

Note: If you are unsure about the compatibility of Infinity Effects Coating with the substrate surface, we strongly recommend conducting a small test in a discreet area before applying it to the entire floor. This precaution will help ensure a successful and satisfactory outcome.

